

Erlus Lotus[®] | The first self-cleaning clay roof

Compared with traditional roof tiles, an Erlus Lotus® clay roof stays clean for years. The principle is revolutionary. The fired surface refinement of Erlus Lotus® clay roof tiles destroys organic dirt particles such as grease deposits, soot, moss and algae using sunlight. Rain washes them away.

This product feature is gaining recognition: Erlus Lotus® received the 2004 Materialica Design Award - the international design prize for materials issued by MunichExpo GmbH in collaboration with iF International Forum Design. It was an important confirmation of the Erlus product philosophy, as the jury paid special attention to innovation, particularly with regard to materials and their use. This is a discipline which has always been a high priority at Erlus. MMATERIALICA



Erlus Lotus* Ergoldsbacher E58. E58 MAX[®] and Forma[®], all available in Lotus red, Lotus brown and Lotus black.

Design | Why a good shape is the best

What technology is to the mind, aesthetics are to the senses. As far as Erlus is concerned, aesthetics are not just a matter of good taste. They are also about the right design. Our success in this field has been substantiated by a range of prizes in key global design competitions. Erlus clay roof tiles have won an iF Design Award four times in succession. Erlus was given a red dot design award for the Karat[®] XXL. The prizes all demonstrate one thing: Erlus clay roof tiles are among the best when it comes to design.

Award

Ergoldsbacher

Linea®

For more information, visit www.erlus.com











Award





Ergoldsbacher Karat[®]

reddot design award winner 2006



Ergoldsbacher Karat[®] XXL

Ergoldsbacher Großfalzziegel XXL®

Ergoldsbacher Forma®

Ergoldsbacher E58 Flachdachpfanne/E58 MAX* (Flat Interlocking Tile) The ideal combination of good form and reliable function has made this model Germany's most popular clay roof tile. In a larger format: E 58 MAX® with an added coverage advantage of 20% - for economical and beautiful clay roofs. • Requirement per m²: approx. 14,5 tiles (E58 Flachdachpfanne), ab 11 tiles (E58 MAX[®]) • Minimum pitch: for each 10°, Standard pitch: for each 20°



anthracite

engobed



e'cotta'

rustic engobed*





special engobe royal green**

> * (E58 only) **(E58 MAX® only)

Ergoldsbacher E58 S A large sliding area of 20 mm for the head groove and 6 mm for the side groove makes the Ergoldsbacher E58 S the ideal retiling solution for roof renovations. In many cases it prevents roofs having to be re-lathed. • Requirement per m²: approx. 13,9 – 14,9 tiles • Minimum pitch: 10°, Standard pitch: 22°

special engobe

titansilver**



special engobe

cobalt blue



special engobe

diamond black







brazil brown

engobed*



red engobed

copperbrown engobed

brazil brown engobed

diamond black

Ergoldsbacher E58 SL In terms of design, a logical progression from the Ergoldsbacher E58 Flachdachpfanne (Flat Interlocking Tile) with a 30 mm sliding area - even larger than that of the E58 S. Creating even more free space for cost-effective roof renovations. • Requirement per m²: approx. 11,5 - 12,5 tiles • Minimum pitch: 10°, Standard pitch: 20°













maroon



diamond black



anthracite special engobe engobed maroon











special engobe



Pesign Award **Ergoldsbacher Forma**[®] Elegance. Style. Esprit. The gentle wave for clay roofs. The feminine lines deliver **2** winer a harmonious form. This tile signifies a high-class lifestyle, and offers economy and contemporary roof culture. • Requirement per m²: approx. 10 tiles • Minimum pitch: 10°, Standard pitch: 22°





engobed



maroon

special engobe









special engobe diamond black

anthracite engobed



special engobe titansilver

Ergoldsbacher Hohlfalz XXL International and contemporary interpretation of a regional form. Because it can be slid from 32.5 cm to 40 cm, it is also perfect for renovation work. Especially economical. • Requirement per m²: approx. 9,75 – 12 tiles • Minimum pitch: 10° (depending on the lath width), Standard pitch: 22°/30° (depending on the lath width)





maroon



cobalt blue







anthracite enaobed

special engobe titansilver

Ergoldsbacher Karat*/Karat* XXL Clear design, superior appearance, universal use for steep and flat roofs. Its striking shape gives the roof a top-end appearance. • Requirement per m²: approx. 15 tiles (Karat^{*}), at least 9,5 tiles (Karat[®] XXL) • Minimum pitch: 7° (Karat[®]), 10° (Karat[®] XXL), Standard pitch: 16° (Karat[®]), 20° (Karat[®] XXL)

diamond black



Karat[®]: natural red

Karat[®] XXL:





engobed

copperbrown

engobed

copperbrown special engobe





special engobe diamond black





anthracite

engobed



special engobe titansilver

special engobe

titansilver







Ergoldsbacher Linea® Smooth. Pure. Consistent. Straight lines convey a contemporary look. This winer tile is made in a special sintering process at approx. 1200°C. This provides it with special protective characteristics against aggressive environmental influences. • Requirement per m²: at least 10 tiles • Minimum pitch: 10°, Standard pitch: 25°



natural red





sinterred

special engobe Sinter light grey


special engobe sintergrey



Ergoldsbacher Großfalzziegel XXL[®] Especially economical as only approx. 10 tiles are required per m². where Impressive new interpretation of a traditional roof tile shape. Weighing just 4.0 kg, it can be fitted quickly and easily. A robust and rustic clay roof tile. • Requirement per m²: approx. 10 tiles • Minimum pitch: 10°, Standard pitch: 22°









anthracite enaobed

Ergoldsbacher Großfalzziegel Especially economical due to its large surface coverage. Due to its weight of only approx. 3.6 kg, it can be laid quickly and easily. A robust and rustic clay roof tile. • Requirement per m': At least approx. 12,5 tiles • Minimum pitch: 10°, Standard pitch: 28°



natural red



red engobed



special engobe




copperbrown engobed

maroon



Ergoldsbacher Falzziegel/Sinterfalz Robust and rustic clay tiles for large and closed roof surfaces. Due to their interlocking fit, they are especially stable in stormy weather and heavy precipitation. • Requirement per m²: approx. 15 tiles • Minimum pitch: 10°, Standard pitch: 30°



Ergoldsbacher Reformpfanne XXL® A classic tile in a new size. Its timeless beauty and functional form guarantee a wide range of applications. Due to its low weight of 4 kg and its optimised format, it can even be laid by one hand. • Requirement per m²: approx. 10 tiles • Minimum pitch: 10°, Standard pitch: 22°




special engobe diamond black

Ergoldsbacher Monaco Southern Charm. The Ergoldsbacher Monaco is a classical, highly profiled, Mediterranean roof tile. Its striking profile gives your roof the play of light and shadow familiar to southern regions. The "Classic" engobe has been designed in harmonious shades of colour and gives the tile its attractive appearance. • Requirement per m²: approx. 14,5 tiles • Minimum pitch: 10°, Standard pitch: 22°






Ergoldsbacher Biberschwanzziegel/Sinterbiber (Plain Tile) A classic tile with an extensive range of applications. At Erlus, we make both normal and sintered plain tiles, in a variety of colours, engobed and special engobed. And in a variety of surfaces and cuts as well. • **Requirement per m**²: approx. 36–42 tiles • **Minimum pitch:** 10° (Sinter), 18° (Biber), Standard pitch: 30°



Ergoldsbacher Mönchpfanne The striking effects of light and shadow on the convex tile gives your roof a distinctive profile. That is why this extraordinary roof tile is an excellent choice for buildings with a historical character, as well as houses with an Italian flair. • **Requirement per m**²: approx. 14,5 tiles • **Minimum pitch**: 10°, Standard pitch: 22°



Ergoldsbacher Mönch- und Nonnenziegel Historically accurate and dramatic. With their Mediterranean tone, they are ideal for an individual roof design and as a wall covering (without a nose) in demanding detached homes. They can be laid dry or in mortar. • **Requirement per m**²: Depends on the model selected • **Minimum pitch:** 10°, Standard pitch: 40°



Fränkischer Rinnenziegel For rustic surfaces with a typically regional character. Its slim lines make this tile unique. Its appeal lies in its simple elegance. It can be laid dry or in mortar. • **Requirement per m**²: approx. 17,5 tiles • **Minimum pitch**: 10°, Standard pitch: 40°



engobed

The colours depicted in all of the images may not be an exact match of the original roof tiles.



Overview | the right tile for every property

Every construction site is unique. And a roof is as individual as the occupants of a house. When it comes to choosing the right roof, there is a wide range of design options: either classic or modern shapes, warm red tones or other colours, for simple renovations or architectural masterpieces. At Erlus, you will always be able to find the perfect model for every need. Look inside to discover the whole range of clay roof tiles: all shapes and all colours. Everything for an individual house that stands out from the rest.

Universal tiles_

Designer tiles



Ergoldsbacher

Forma



E58

Ergoldsbacher E58 MAX*

Ergoldsbacher

Ergoldsbacher

Forma®

Hohlfalz XXL





Ergoldsbacher

Karat*







Ergoldsbacher Monaco



Ergoldsbacher Großfalzziegel XXL®



Ergoldsbacher

Ergoldsbacher

Hohlfalz XXL Großfalzziegel XXL® Reformpfanne XXL®

Karat[®] XXL

Ergoldsbacher

Ergoldsbacher

Linea®



Ergoldsbacher Karat[®] XXL

Ergoldsbacher Linea®

Renovation tiles

Tiles for large areas



Ergoldsbacher

E58 MAX



Ergoldsbacher E58 S





Ergoldsbacher

Ergoldsbacher Großfalzziegel

Historic tiles





Ergoldsbacher

Falzziegel

E58 SL





Ergoldsbacher

Mönch- und

Nonnenziegel



Fränkischer

Rinnenziegel





Ergoldsbacher Mönchpfanne

Erlus AG

Hauptstr. 106 | D-84088 Neufahrn/NB Tel. ++49(0) 8773 18-0 | Fax ++49(0) 8773 18-300 www.erlus.com | info@erlus.com

 ${\mathbb O}$ ERLUS AG 2008. All rights reserved. These copyright protected documents may – even in part – only be copied, modified or transmitted in any form or medium or be saved in a database or other data storage system with the prior consent of ERLUS AG. Any usage without prior consent counts as a breach of the respective copyright terms.